TASK FORCE ON VEHICLE WEIGHTS AND DIMENSIONS POLICY

November 2018

Task Force on Vehicle Weights and Dimensions Policy

- National forum for coordination and harmonization of provincial and territorial regulations, policies and practices
 - Representatives from each of the federal, provincial and territorial transportation departments
- Advance recommendations on:
 - Regulatory harmonization priorities
 - Amendments to the standards contained in the National MOU on Vehicle Weights and Dimensions

Vehicle Weights and Dimensions

- Annual meetings to exchange information, review emerging issues, identify harmonization concerns and priorities
- Information: www.comt.ca
 - Standards and regulations
 - Government contacts
 - Meetings and minutes
 - Research reports and reference materials



National Standards for Weights and Dimensions

- National Agreement (MOU)
 established in 1988
 - founded on major research program and developed in partnership with industry
- Standards Evolution
 - Task Force on Vehicle Weights and Dimensions Policy
 - Provides ongoing national forum for discussions with stakeholders on harmonization needs and priorities
 - Government/Industry consensus has resulted in expansion of, and amendments to, the MOU in 1991, 1994, 1997, 2001, 2004, 2009, 2011, 2014 & 2016

Heavy Truck Weight and Dimension Limits for Interprovincial Operations in Canada Resulting From The Federal-Provincial-Territorial Memorandum of Understanding on Interprovincial Weights and Dimensions



Summary Information

December 2016

Dimension Limits

Dimension Limits (metres)

| Dimension Limits (metres) | | | | _ | | | | | _ | | | | |
|------------------------------|-----------|-----|-----|----|----|----|----|----|-------|----|----|----|----|
| | MOU | YK | NT | BC | AB | SK | MB | ON | QC | NB | NS | PE | NL |
| Overall Height | 4.15 | 4.2 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| Overall Width | 2.6 | * | * | * | * | * | * | * | * | * | * | * | * |
| Overall Length | | | | | | | | | | | | | |
| Straight Truck | 12.5 | * | * | * | * | * | * | * | * | * | * | * | * |
| Truck & Full Trailer | 23 | * | * | * | * | * | * | * | * | * | * | * | * |
| Truck & Pony Trailer | 23 | * | * | * | * | * | * | * | * | * | * | * | * |
| Tractor Semitrailer | 23 | * | 25 | * | * | * | * | * | * | * | * | * | * |
| A Train Double | 25 | * | 26 | 26 | 26 | 26 | * | * | * | * | * | * | * |
| B Train Double | 27.5 | * | * | * | * | * | * | * | * | * | * | * | * |
| C Train Double | 25 | * | 26 | 26 | 26 | 26 | * | * | * | * | * | * | * |
| Trailer Length | | | | | | | | | | | | | |
| Full Trailer | 12.5 | * | * | * | * | * | * | * | 14.65 | * | * | * | * |
| Semitrailer | 16.2 | * | * | * | * | * | * | * | * | * | * | * | * |
| Box Length | | | | | | | | | | | | | |
| Truck & Full or Pony Trailer | 20 | * | * | * | * | * | * | * | * | * | * | * | * |
| A Train Double | 20 | * | * | * | * | * | * | * | * | * | * | * | * |
| B Train Double | 20 | * | * | * | * | * | * | * | * | * | * | * | * |
| C Train Double | 20 | * | * | * | * | * | * | * | * | * | * | * | * |
| Effective Rear Overhang | | | | | | | | | | | | | |
| Straight Truck | 4 | * | * | * | * | * | * | * | * | * | * | * | * |
| Semitrailer | 35% of wb | * | * | * | * | * | * | * | * | * | * | * | * |
| Wheelbase | | | | | | | | | | | | | |
| Tractor (min) | 3 | * | * | * | * | * | * | * | * | * | * | * | * |
| Tractor (max) 1 | 6.2 | NR | * | * | * | * | * | * | * | * | * | * | * |
| Full Trailer (min) | 6.25 | * | * | * | * | * | * | * | * | * | * | * | * |
| Semitrailer (max) | 12.5 | * | * | * | * | * | * | * | * | * | * | * | * |
| Semitrailer (min) | 6.25 | * | * | * | * | * | * | * | * | * | * | * | * |

Legend: * = Same as MOU Atlantic Regional Harmonization Western Regional Harmonization

Weight Limits

Weight Limits (kilograms)

| Gross Vehicle Weight | MOU | YK | NT | BC | AB | SK | MB | ON | QC | NB | NS | PE | NL |
|------------------------------------|--------|--------|--------|--------------------------|--------|--------|--------|---------------------|--------|--------|--------|--------|--------|
| Truck - 3 axles | 24,250 | 28,200 | 24,300 | 26,000 | 24,300 | 24,300 | 24,300 | 28,100 ¹ | 25,250 | 26,000 | 26,000 | 26,000 | 26,000 |
| Tractor Semitrailer - 3 axles | 23,700 | 26,000 | * | 24,200 | 24,200 | 24,200 | 24,200 | 27,700 | 25,500 | * | * | * | * |
| - 4 axles | 31,600 | 35,100 | * | 32,800 | 32,100 | 32,100 | 32,100 | 36,800 | 33,500 | 32,600 | 32,600 | 32,600 | 32,600 |
| - 5 axles | 39,500 | 44,200 | * | 40,000 | 40,000 | 40,000 | 40,000 | 45,900 | 41,500 | 41,500 | 41,500 | 41,500 | 41,500 |
| - 6 axles | 46,500 | 49,100 | * | 47,000 | 47,000 | 47,000 | 47,000 | 52,800 | 49,500 | 49,500 | 49,500 | 49,500 | 49,500 |
| A Train - 5 axles | 41,900 | 45,500 | * | 42,400 | 42,400 | 42,400 | 42,400 | * | 45,500 | * | * | * | * |
| - 6 axles | 49,800 | 53,500 | * | 50,300 | 50,300 | 50,300 | 50,300 | * | 53,500 | 50,800 | 50,800 | 50,800 | 50,800 |
| | 53,500 | * | * | * | * | * | * | * | * | * | * | * | * |
| | 53,500 | * | * | * | * | * | * | * | * | * | * | * | * |
| B Train - 6 axles | | | * | 49,100 | 49,100 | 49,100 | | 55,900 | | 50,600 | 50,600 | 50,600 | 50,600 |
| | 56,500 | | * | - | | 57,000 | 57,000 | | 59,000 | 59,500 | 59,500 | 59,500 | 59,500 |
| | 62,500 | | | - | 63,500 | | 63,500 | | * | * | * | * | * |
| C Train - 5 axles | | | * | | 42,400 | 42,400 | 42,400 | * | 45,500 | * | * | * | * |
| | 49,800 | | * | | 50,300 | 50,300 | 50,300 | * | 53,500 | 50,800 | 50,800 | 50,800 | 50,800 |
| | 54,600 | | * | | 57,700 | 60,500 | 60,500 | * | 55,500 | 55,600 | 55,600 | 55,600 | 55,600 |
| | 58,500 | | * | The second second second | 60,500 | | 60,500 | * | * | * | * | * | * |
| Truck & Pony Trailer - 6 axles | | 52,200 | 48,300 | | 45,300 | | 45,300 | | 49,500 | - | 47,000 | 47,000 | 47,000 |
| Truck & Full Trailer - 5 axles | - | 47,300 | | | 42,500 | | - | | 43,500 | 43,000 | 43,000 | 43,000 | 43,000 |
| Truck & Full Trailer - 7 axles | 53,500 | 59,200 | * | 57,000 | 55,300 | 55,300 | 55,300 | 63,500 | 55,500 | * | * | * | * |
| Axle loads | | | | | | | | | | | | | |
| Steering Axle - Tractors | 5,500 | * | * | 6,000 | 6,000 | 6,000 | 6,000 | 7,700 | * | * | * | * | * |
| Steering Axle - Trucks | 7,250 | 7,300 | 7,300 | 7,300 | 7,300 | 7,300 | 7,300 | 9,000 | * | 8,000 | 8,000 | 8,000 | 8,000 |
| Single Axle - dual tires 9, | | 10,000 | * | * | * | * | * | 10,000 | 10,000 | * | * | * | * |
| Single Axle – wide single tires | 7,700 | * | 6,000 | * | * | * | 9,100 | 9,000 | 10,000 | * | * | * | * |
| Tandem Axle – dual tires 17,00 | | 17,900 | * | * | * | * | * | 18,000 | 18,000 | 18,000 | 18,000 | 18,000 | 18,000 |
| Tandem Axle – wide single tires 15 | | | 12,000 | * | * | * | 17,000 | 18,000 | 18,000 | * | * | * | * |
| Tridem - 2.4 m spread | 21,000 | 24,000 | * | 24,000 | * | * | * | 21,300 | * | * | * | * | * |
| Tridem - 3.0 m spread | | 24,000 | - | 24,000 | 24,000 | 24,000 | * | 24,000 | 7 | 24,000 | 24,000 | 24,000 | |
| Tridem - 3.7 m spread | 24,000 | * | * | * | * | * | * | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 |

Legend: * = Same as MOU Atlantic Regional Harmonization Western Regional Harmonization

Vehicle Weights and Dimensions

Status of Implementation of MOU Amendments 2014 & 2016


November 2018

MOU Amendments October 2014

- 1. Addition of the Tridem Drive Tractor Semitrailer Configuration as a new MOU Category
- 2. Increase in the Allowable Size of Aerodynamic Devices on Rear of Trucks and Trailers from 0.61 metres to 1.52 m
- 3. Increase in the Overall Length Limit for B Train Double Trailer Combinations from 25 m to 27.5 metres

Tridem Drive Tractor Semitrailer Configuration

(MOU Amendment 2014)



| Jurisdiction | Allowed by Regulation | Allowed by Permit | Allowed by Admin Policy |
|--------------|--------------------------|----------------------|----------------------------|
| NL | | | |
| NS | | | |
| PE | | | |
| NB | | | |
| QC | | | |
| ON | | | |
| MB | | | |
| SK | | | |
| AB | | | |
| ВС | | | |
| NT | | | |
| YK | | | |

Aerodynamic Devices - Larger Boat Tails

(MOU Amendment 2014)




Aerodynamic devices installed at the rear of the vehicle can extend up to 1.52 m

| Jurisdict | Allowed by | Allowed by | Allowed by |
|-----------|------------|------------|--------------|
| ion | Regulation | Permit | Admin Policy |
| NL | | | |
| NS | | | |
| PE | | | |
| NB | | | |
| QC | | | |
| ON | | | |
| MB | | | |
| SK | | | |
| AB | | | |
| ВС | | | |
| NT | | | |
| YT | | | |

Increased Length Limit for B Trains 27.5 m

(MOU Amendment 2014)



Overall Length

| Jurisdiction | Allowed by Regulation | Allowed by Permit | Allowed by Admin Policy |
|--------------|--------------------------|-------------------|----------------------------|
| NL | | | |
| NS | | | |
| PE | | | |
| NB | | | |
| QC | | | |
| ON | | | |
| MB | | | |
| SK | | | |
| AB | | | |
| ВС | | | |
| NT | | | |
| YK | | | |


MOU Amendments September 2016

- Provision to Allow Longer Wheelbase Tractors on Category 1: Tractor Semitrailer Configurations (up to 7.2 m)
- 2. Provision to Allow Longer Wheelbase Tractors on Category 3: B Train Double Configurations (up to 6.8 m)

Longer Wheelbase Tractors - Tractor Semitrailer

(MOU Amendment 2016)

The tractor wheelbase can be up to 7.2 m in a Tractor-Semitrailer configuration, provided the wheelbase of the semitrailer is reduced in accordance with the following table:




| Tractor Wheelbase | Maximum Semitrailer Wheelbase |
|-------------------|----------------------------------|
| 6.2 m or less | ≤ 12.50 m |
| > 6.2 m to 6.3 m | ≤ 12.47 m |
| > 6.3 m to 6.4 m | ≤ 12.40 m |
| > 6.4 m to 6.5 m | ≤ 12.33 m |
| > 6.5 m to 6.6 m | ≤ 12.27 m |
| > 6.6 m to 6.7 m | ≤ 12.20 m |
| > 6.7 m to 6.8 m | ≤ 12.13 m |
| > 6.8 m to 6.9 m | ≤ 12.07 m |
| > 6.9 m to 7.0 m | ≤ 12.00 m |
| > 7.0 m to 7.1 m | ≤ 11.93 m |
| > 7.1 m to 7.2 m | ≤ 11.87 m |

| Jurisdic tion | Allowed by Regulation | Allowed by Permit | Allowed by Admin Policy |
|------------------|--------------------------|----------------------|----------------------------|
| NL | | | |
| NS | | | |
| PE | | | |
| NB | | | |
| QC | | | |
| ON | | | |
| MB | | | |
| SK | | | |
| AB | | | |
| ВС | | | |
| NT | | | |
| YT | | | |

Longer Wheelbase Tractors - B Train

(MOU Amendment 2016)



The tractor wheelbase can be up to 6.8 m in a B Train Double configuration, provided the sum of the wheelbases of the semitrailers is reduced in accordance with the following table:

| Tractor Wheelbase | Maximum Sum of Semitrailer Wheelbases |
|----------------------|---|
| 6.2 m or less | ≤ 17.00 m |
| > 6.2 m to 6.3 m | ≤ 16.53 m |
| > 6.3 m to 6.4 m | ≤ 16.44 m |
| > 6.4 m to 6.5 m | ≤ 16.36 m |
| > 6.5 m to 6.6 m | ≤ 16.27 m |
| > 6.6 m to 6.7 m | ≤ 16.19 m |
| > 6.7 m to 6.8 m | ≤ 16.10 m |

| Jurisdic tion | Allowed by Regulation | Allowed by Permit | Allowed by Admin Policy |
|------------------|--------------------------|----------------------|----------------------------|
| NL | | | |
| NS | | | |
| PE | | | |
| NB | | | |
| QC | | | |
| ON | | | |
| MB | | | |
| SK | | | |
| AB | | | |
| ВС | | | |
| NT | | | |
| YT | | | |

Task Force on VWD Policy

- Forum for discussion of national regulatory harmonization needs and priorities for heavy vehicle weights and dimensions
 - Responsible for the evolution of national standards in Canada and the changes which have been introduced since 1988
 - Strong and ongoing commitment from governments, industry and dedicated individuals to the mechanism and to these discussions
 - Complex regulatory field with many governments involved patience is required
- Report on today's issues and discussions will be provided to Council of Deputy Ministers